

**70**  
**years**  
OF INNOVATION



# RENTAL COLLECTION

2015/16

**elan**

[WWW.ELANSPORTS.COM](http://WWW.ELANSPORTS.COM)

ELAN RENTAL PROGRAM  
FROM BEGINNERS WHO LOOK  
FOR FAST LEARNING AND  
CONFIDENCE TO EXPERTS  
WHO DEMAND TOP  
PERFORMING GEAR.



## 1 KEY TECHNOLOGIES



AMPHIBIO  
AMPHIBIO 4D TECHNOLOGY  
POWER SPINE



PARABOLIC ROCKER  
WAVEFLEX



EARLY RISE ROCKER  
DURA SHIELD

### JUNIOR

U-FLEX

## 2 MAIN BENEFITS

### THE RIGHT PRODUCT

Define perfect setup for your rental customers with Discovery range

### DURABILITY

Get more skiing hours on Elan skis with long durability

### FAST LEARNING

Improve rate of return from your customers

### EXTENDED PROMOTION

Promote your business through Elan Discovery site

## 3 POINT OF DIFFERENCE

### DURABILITY

### SELL-IN SUPPORT PROGRAM

### FAST LEARNING SPECIFIC MODELS

## 4 POP

### IN-STORE/WINDOW ITEMS



# THE RIGHT PRODUCT


Easy selection of products for your customers.



## PARABOLIC EARLY RISE

MORE CONTROL AND  
CONFIDENCE

+ STEERING GUIDING



## PARABOLIC ROCKER TECHNOLOGY

MORE MANEUVERABILITY,  
IMPROVED CARVING

+ EDGE ENGAGEMENT



## AMPHIBIO PROFILE

AMPHIBIO TECHNOLOGY

MORE ALL TERRAIN PERFORMANCE

+ ALL MOUNTAIN VERSATILITY AND PERFORMANCE



ROCKER CAMBER ROCKER

AMPHIBIO PROFILE  
EDGE GRIP, EASY TURNING

+ DUAL SHAPED TI  
PRECISE ENTRY, QUICK EXIT



CONCAVE

CONVEX

XCELERATED LEARNING.

XPLOR THE MOUNTAIN.

XCEL YOUR SKIING.

# PROVEN QUALITY

MORE RENT HOURS PER INVESTMENT

## REINFORCED BASE AND EDGES

**E** The base is stronger and easy to repair.  
The edges have been reinforced to support the  
ski structure and allow several ski tunings.

**F** La semelle est plus résistante, et facile à réparer. Les  
carres sont renforcées, pour solidifier la structure et  
autoriser de nombreuses préparations.

**D** Die Lauffläche ist widerstandsfähiger und einfach  
zu reparieren. Die Kanten wurden verstärkt, um  
die Skistruktur zu unterstützen und erlauben eine  
Feinabstimmung der Ski.

**I** La soletta è più robusta e facile da riparare. Le  
lamine sono rinforzate per supportare la struttura  
dello sci e consentire numerose preparazioni.

## DURA SHIELD

**E** Thicker top sheet with extreme durable structure  
to prevent damages and help maintain good look  
of the ski for years.

**F** Dessus plus épais et doté d'une structure très  
résistante.

**D** Dickeres Top Sheet mit extrem  
langlebiger Struktur.

**I** Superficie superiore più spessa e più resistente.

# EXTENDED PROMOTION

## WEB SITE

Dedicated web site with shop location  
[www.elan-discovery.com](http://www.elan-discovery.com)



- 1 PVC banner discovery  
**SALES CODE:** PSD00214

- 2 Cube carton display  
**SALES CODE:** PSC00513

- 3 Shop window sticker  
**SALES CODE:** PSD00413

- 4 Outdoor flag discovery  
**SALES CODE:** PSD00114

- 5 Indoor flag discovery  
**SALES CODE:** PSD00115

- 6 Floor mat  
**SALES CODE:** PSP06010

- 7 Wall hanging display 2 x 2,5 m  
**SALES CODE:** PSD00314

- 8 Elan screwdriver  
**SALES CODE:** PSM00413

- 9 Apron  
**SALES CODE:** PSM10013

- 10 Baseball cap logo  
**SALES CODE:** PST01115

- 11 Demo table cloth  
**SALES CODE:** PSP01313

- 12 Wall display  
**SALES CODE:** PSC00213

- 13 Discovery vest  
**SALES CODE:** PSD00313




# LEARN FASTER SKI BETTER PACKAGE

- Satisfied skiers and better customer return rate through faster learning & better skiing is 100% guaranteed with Elan learning package
- Complete product package for accelerated learning
- Rental equipment to increase retention



SKIING AS EASY  
AS WALKING

## JUNIOR PACKAGE



EXPLORE PRO QT/TRACK



PINBALL PRO QT



TWIST PRO QT



SKI BOOTS: 16.5-22.5



PRODIGY MICRO



RADON + PADS

## FLEXING SKI



### PROBLEM

- E** Stiff flex = Slow learning
- D** Steifer Flex = Langsames Lernen
- F** Trop de rigidité = Apprentissage plus long
- I** Sci rigido = Apprendimento lento



### IDEA

- E** Extreme flex on short length
- D** Sehr weicher Flex bei kurzer Länge
- F** Extrême souplesse Sur une longueur courte
- I** Flessibilità elevata nelle lunghezze basse



### SOLUTION

#### U-FLEX

- E** • 25% softer
  - Easy turning = Simple learning
- D** • 25% + weicher
  - Leichtes Drehen = Einfaches Lernen
- F** • 25% plus souple
  - Virages facilités= Simple pour apprendre
- I** • 25% + flessibile
  - Curva facile = Apprendimento semplice

## FLEXING BOOT



- E** Flexing ski boot
- D** Flexender skischuh
- F** Une chaussure de ski flexible
- I** Flessibilità dello scarpone



- E** Keeping the feet warm
- D** Die füsse bleiben wärmer
- F** Les pieds restent encore plus au chaud
- I** I piedi restano più caldi



- E** Movable sole
- D** Die Sohle passt sich der Biegung
- F** La semelle bouge
- I** La suola si muove



It's my opinion that this technology is only going to increase the fun factor and accelerate the learning for kids all over the world! Watching my 6 year old, Lachlan, move onto the U-flex boots and skis was remarkable. With all that additional flex available to him he was able to access the value of a shaped ski when going slow, and left what we ski instructors call "rail road tracks" in the snow.

**Georgie Bremner**

Buttermilk School Manager | Aspen Skiing Company



Finally there is a new and perfect working ski and shoe system on the market. The u-flex system makes skiing much easier and the kids will get success faster than with normal skis. The flexing ski boot is very comfortable and the kids can do nearly everything with them. A system which makes the kids and also the ski teachers happy.

**Andreas Achmüller**

ski school chief ULLR Ski and Snowboard school

## ADULT PACKAGE



HIGH PERFORMANCE & UPGRADE RENTAL SKI



EXPLORE 10 TI QT



BEST LEARNING SKIS ACCORDING TO US SKI SCHOOLS



EXPLORE ERISE 76 TRACK/QT/FLAT



EXPLORE ERISE 72 TRACK/QT/FLAT

## THE BEST PERFORMING, EASY LEARNING RENTAL SYSTEM

1. Parabolic Sidecut
2. Subtle Early Rise Rocker
3. Forward Waist and Mount Position
4. Simple color coding on skis & bindings for fast handling during peak hours
5. Thicker top sheet with extreme durable structure



**E** Lower edge angle to start the turn

**D** Niedriger Kantenwinkel um die Drehung einzuleiten

**F** Un angle de carre plus court pour l'entrée de virage

**I** Minor inclinazione dello sci all'inizio curva

**E** Direct turn initiation

**D** Direkte Schwungeinleitung

**F** Entrée en virage facilitée

**I** Inizio curva diretto

**E** Stability and round turn, shape through the turn

**D** Stabilität und harmonischer Kurvenverlauf

**F** Stabilité dans le virage, déformation dans le virage

**I** Stabilità e rotondità di curva



Elan Explore skis as an impact on the industry and our mountain has been absolutely phenomenal. The Explore Technology allows for easier turn engagement and a quicker transition from the wedge to parallel skiing. This season, we have had a faster turnover rate from first day skiers to big carpet, or chairlift riders than before with conventional shaped skis.

**Kyle Steinmetz,**

Learning Center Director, Mount Sunapee Resort



"The introduction of Elan's Explore rental ski has been game changing for our lesson participants. Not only does the ski have all the efficiencies and design needed for a contemporary rental operation, but it performs beyond expectations in a myriad of conditions. The ski simply makes learning fun and easy."

**Dave Beckwith,**

Director of Golf and Snow Sports, Killington Resort | Pico Mountain



Our new Elan Explore Adult and Junior rental skis are a huge time saver for the rental staff. The color coded boot and binding system gets our guests in and out the door quickly to enjoy a day of skiing. New skiers and our learning center rave about the skis performance and ease of turning. Bottom line, a happy guest translates into someone who will return and recommend our resort to others!

**Tom Whittles,**

Rental Manager Roundtop Mountain Resort

# COLOR CODE

	120	130	140	150	160	170	175
EXPLORE 76	■	■	■	■	■	■	■
EXPLORE 72	■	■	■	■	■		

	144	152	160	168	176
EXPLORE RACE	■	■	■	■	■

	70	80	90	100	110	120	130	140	150
EXAR PRO	■	■	■	■	■	■	■	■	■
EXPLORE PRO	■	■	■	■	■	■	■	■	■

## SP EXAR

**SALES CODE:** CD954815

**PROFILE:** Alu 7075

**TUBE:** Ø18mm

**LENGTH (CM):** 110, 115, 120, 125, 130, 135

**BASE COLOR:** brushed + mat transparent

**GRIP:** Rental transparent

**STRAP:** Strip 15/24

**BASKET/TIP:** E-Tip 2P 55/90mm + steel

**SPECIAL FEATURE:** Color Code



2015/16 MODEL	DURA TOP SHIELD	DURA SHIELD	SEMI CAP	RESISTANT 3D SHAPE	CAP CONSTRUCTION	COLOR CODING	DURABLE RUNNING BASE	THICKER EDGES
★★★★★								
GSX FUSION			●				●	●
SLX FUSION			●				●	●
SL FUSION			●				●	●
SLX WAVEFLEX QT	●							
GSX WAVEFLEX QT	●		●					
SLR WAVEFLEX QT	●		●					
AMPHIBIO 16 TI2 FUSION			●					
AMPHIBIO 14 TI FUSION			●					
AMPHIBIO 78 TI FUSION	●		●					
AMPHIBIO 10 FUSION	●		●					
EXPLORE 10 TI	●		●					
★★★★								
EXPLORE 8 QT	●		●	●			●	●
EXPLORE 6 GREEN QT	●			●			●	●
EXPLORE 6 ORANGE QT	●			●			●	●
WHITE MAGIC QT	●				●		●	●
SLING SHOT DEMO TRACK	●				●		●	●
★★★								
EXPLORE RACE / QT / TRACK	●			●	●	●	●	●
EXPLORE ERISE 80 WHT / QT / TRACK	●				●		●	●
EXPLORE ERISE 76 / QT / TRACK		●		●	●	●	●	●
EXPLORE ERISE 72 / QT / TRACK		●		●	●	●	●	●
EXPLORE 70 / QT	●			●	●	●	●	●
FREELINE / TRACK	●				●		●	●
JUNIOR								
EXAR PRO / QT / TRACK	●			●	●	●	●	●
EXPLORE PRO QT / TRACK	●			●	●	●	●	●
PINBALL PRO QT	●		●		●		●	●
TWIST PRO QT	●		●		●		●	●



★★★★★



### GSX FUSION

**SALES CODE\_AA4AFFA5****PROFILE\_Amphibio****TECHNOLOGY\_Powerspine, RST Sidewall, Response Frame Woodcore, Dual Ti****GEOMETRY\_114/70/99****LENGTH RADIUS\_170(16.8), 176(17.8), 182(19.8), 186(21)****SYSTEM/PLATE\_FUSION****BINDING\_ELX 14.0 FUSION BLK/GRN**

### SLX FUSION

**SALES CODE\_AA5ABSA5****PROFILE\_Amphibio****TECHNOLOGY\_Powerspine, RST Sidewall, Response Frame Woodcore, Dual Ti****GEOMETRY\_120/69/103, 122/69/104, 123/69/107, 124/69/107****LENGTH RADIUS\_155(11.7), 160(12.0), 165(12.4), 170(13)****SYSTEM/PLATE\_FUSION****BINDING\_ELX 14.0 FUSION BLK/SMOKE**

### SLR FUSION

**SALES CODE\_AA5ABA5****PROFILE\_Amphibio****TECHNOLOGY\_Powerspine, RST Sidewall, Laminated Woodcore, Mono Ti****GEOMETRY\_120/69/103, 122/69/104, 123/69/107, 124/69/107****LENGTH RADIUS\_155(11.7), 160(12.0), 165(12.4), 170(13.0)****SYSTEM/PLATE\_FUSION****BINDING\_ELX 12.0 FUSION BLK/SMOKE**

### SLR WAVEFLEX QT

**SALES CODE\_AA7U9114 (QT)****PROFILE\_Conventional****TECHNOLOGY\_WaveFlex™, RST sidewall, Laminated Woodcore, Fibreglass****GEOMETRY\_111/66/102; 111/66/104\*, 114/66/104\*\*****LENGTH/RADIUS\_150(11.3), 155(11.5), 160(12.1)\*, 165(12.9)\*, 170(13.4)\*\*****SYSTEM/PLATE\_QUICKTRICK****BINDING\_EL 11.0 QT BLK**

### GSX WAVEFLEX QT

**SALES CODE\_AA6AFR15****PROFILE\_Conventional****TECHNOLOGY\_WaveFlex™, RST sidewall, Laminated Woodcore, Dual Ti****GEOMETRY\_103/65/88, 110/67/96****LENGTH RADIUS\_152(15.2), 158(17.1), 164(15.9), 170(17.2), 176(18.6), 182(20.0)****SYSTEM/PLATE\_QUICKTRICK****BINDING\_EL 11.0 QT BLK**



### **SLR WAVEFLEX QT**

**SALES CODE**\_AA7APS15  
**PROFILE**\_Conventional  
**TECHNOLOGY**\_WaveFlex™, RST sidewall, Laminated Woodcore, Fibreglass  
**GEOMETRY**\_107/66/102, 111/66/104, 114/66/104  
**LENGTH RADIUS**\_150(11.3), 155(11.5), 160(12.1), 165(12.9), 170(13.4)  
**SYSTEM/PLATE**\_QUICKTRICK  
**BINDING**\_EL 10.0 QT BLK/GRN

### **AMPHIBIO 16 TI2 FUSION**

**SALES CODE**\_AB1AIK15  
**PROFILE**\_Amphibio 4D Technology  
**TECHNOLOGY**\_RST sidewall, Response Frame Woodcore, Dual Shaped Ti2  
**GEOMETRY**\_121/73/104  
**LENGTH RADIUS**\_160(13.3), 166(14.5), 172(15.7), 178(17.0)  
**SYSTEM/PLATE**\_FUSION  
**BINDING**\_ELX 12.0 FUSION BLK/SMOKE

### **AMPHIBIO 14 TI FUSION**

**SALES CODE**\_AB2AHQ15  
**PROFILE**\_Amphibio 4D Technology  
**TECHNOLOGY**\_RST sidewall, Response Frame Woodcore, Dual Shaped Ti  
**GEOMETRY**\_121/73/104  
**LENGTH RADIUS**\_160(13.3), 166(14.5), 172(15.7), 178(17.0)  
**SYSTEM/PLATE**\_FUSION  
**BINDING**\_ELX 12.0 FUSION BLK/SMOKE

### **AMPHIBIO 78 TI FUSION**

**SALES CODE**\_AB3AIN15  
**PROFILE**\_Amphibio  
**TECHNOLOGY**\_WaveFlex™, RST sidewall, Power Woodcore, Mono Ti  
**GEOMETRY**\_127/78/107  
**LENGTH RADIUS**\_152(11.8), 160(13.3), 168(14.9), 176(16.5)  
**SYSTEM/PLATE**\_FUSION  
**BINDING**\_EL 11.0 FUSION BLK/SMOKE

### **AMPHIBIO 10 TI FUSION**

**SALES CODE**\_AB4AIW15  
**PROFILE**\_Amphibio  
**TECHNOLOGY**\_WaveFlex™, DST sidewall, Power Woodcore, Mono Ti  
**GEOMETRY**\_125/76/105  
**LENGTH RADIUS**\_152(11.5), 160(12.9), 168(14.4), 176(16.0)  
**SYSTEM/PLATE**\_FUSION  
**BINDING**\_EL 10.0 FUSION BLK/SMOKE

### **EXPLORE 10 TI QT**

**SALES CODE**\_AB5ARC15  
**PROFILE**\_Parabolic Rocker  
**TECHNOLOGY**\_WaveFlex™, PST sidewall, Dual Woodcore, Mono Ti  
**GEOMETRY**\_125/76/104  
**LENGTH RADIUS**\_152(12.0), 160(13.5), 168(15.1), 176(16.7)  
**SYSTEM/PLATE**\_QUICK TRICK  
**BINDING**\_EL 10.0 QT BLK/SMOKE



★★★★★

COLOR  
CODE

### EXPLORE 8 QT

**SALES CODE:** AB5AKT15**PROFILE:** Parabolic Rocker**TECHNOLOGY:** WaveFlex™, PST sidewall, Dual Woodcore, Fibreglass**GEOMETRY:** 125/76/104**LENGTH RADIUS:** 152(12.0), 160(13.5), 168(15.1), 176(16.7)**SYSTEM/PLATE:** QUICK TRICK**BINDING:** EL 10.0 QT BLK/SMOKE

### EXPLORE 6 GREEN QT

**SALES CODE:** AB6AKV15**PROFILE:** Parabolic Rocker**TECHNOLOGY:** WaveFlex™, Full Power Cap, Dual Woodcore, Fibreglass**GEOMETRY:** 125/76/103**LENGTH RADIUS:** 152(12.3), 160(13.9), 168(15.4), 176(17.2)**SYSTEM/PLATE:** QUICK TRICK**BINDING:** EL 10.0 QT BLK/GRN

### EXPLORE 6 ORANGE QT

**SALES CODE:** AB6AKY15**PROFILE:** Parabolic Rocker**TECHNOLOGY:** WaveFlex™, Full Power Cap, Dual Woodcore, Fibreglass**GEOMETRY:** 125/76/103**LENGTH RADIUS:** 152(12.3), 160(13.9), 168(15.8), 176(17.2)**SYSTEM/PLATE:** QUICK TRICK**BINDING:** EL 10.0 QT BLK/SMOKE

### WHITE MAGIC

**SALES CODE:** AC5V6314**PROFILE:** Early Rise Rocker Profile**TECHNOLOGY:** WaveFlex™, Monoblock, Dualite Woodcore, Fibreglass**GEOMETRY:** 119/72/100**LENGTH/RADIUS:** 140(10.0), 146(11.0), 152(12.1), 158(13.2)**SYSTEM/PLATE:** QUICKTRICK**BINDING:** ELW 9.0 QT BLK/SMOKE

### SLING SHOT DEMO TRACK

**SALES CODE:** AE5V6214**PROFILE:** JIB Rocker Profile**TECHNOLOGY:** Monoblock Laminated Woodcore Fibreglass**GEOMETRY:** 114/82/109, 115/83/110, 116/84/111, 117/85/112, 118/86/113, 119/87/114**LENGTH/RADIUS:** 149(11.9), 156(12.9), 161(14.0), 166(15.2), 171(16.3), 176(17.5)**BINDING:** ESP 10.0 TRACK PM



## COLOR CODE



### EXPLORE RACE/QT/ TRACK

**SALES CODE:** AG1ALE15, AG1ALF15 (QT), AG1ALG15 (TRACK)

**PROFILE:** Parabolic Rocker,  
**TECHNOLOGY:** WaveFlex™, Full Power Cap, Dual Woodcore, Fibreglass

**GEOMETRY:** 125/76/103

**LENGTH/RADIUS:** 152(12.3), 160(13.9), 168(15.8), 176(17.2)

**SYSTEM/PLATE:** QuickTrick Adult SMOKE (POWERRAIL) Q011057, Trackset ADULT BRAKE 85 [D] - 4 FACTOR

**BINDING:** EL 10.0 QT BLK/ SMOKE, ESP 10.0 TRACK PM



### EXPLORE ERISE 80 WHT/QT/ TRACK

**SALES CODE:** AG2ALR15, AG2ALS15 (QT), AG2ALT15 (TRACK)

**PROFILE:** Parabolic Rocker,  
**TECHNOLOGY:** Express, Monoblock, Comprex Wood, Fibreglass

**GEOMETRY:** 118/78/106, 120/80/108

**LENGTH/RADIUS:** 152(13.2), 160(14.9), 168(16.7), 176(18.5)

**SYSTEM/PLATE:** QuickTrick Adult SMOKE (POWERRAIL) Q011057, Trackset ADULT BRAKE 85 [D] - 4 FACTOR

**BINDING:** EL 10.0 QT BLK/ SMOKE, ESP 10.0 TRACK PM



### EXPLORE ERISE 76 QT/ TRACK

**SALES CODE:** AG3ABV15, AG3ALU15 (QT), AG3ALV15 (TRACK)

**PROFILE:** Parabolic Rocker,  
**TECHNOLOGY:** Express, Monoblock, Comprex Wood, Fibreglass

**GEOMETRY:** 117/74/101, 118/75/102, 119/76/103, 120/77/104, 121/78/105

**LENGTH/RADIUS:** 130(8.7), 140(11.1), 150(12.5), 160(14.1), 170(15.8), 175(17.5)

**SYSTEM/PLATE:** QuickTrick Adult SMOKE (POWERRAIL) Q011057, Trackset ADULT BRAKE 85 [D] - 4 FACTOR

**BINDING:** EL 10.0 QT BLK/ SMOKE, ESP 10.0 TRACK PM



### EXPLORE ERISE 72 QT/ TRACK

**SALES CODE:** AG3ABQ15, AG3ALH15 (QT), AG3ALQ15 (TRACK)

**PROFILE:** Early Rise Rocker,  
**TECHNOLOGY:** Express, Monoblock, Comprex Wood, Fibreglass

**GEOMETRY:** 108/68/94, 116/73/100, 114/71/103

**LENGTH/RADIUS:** 120(8.1), 130(8.7), 140(10.3), 150(11.6), 160(13.1), 170(14.7)

**SYSTEM/PLATE:** QuickTrick Adult SMOKE (POWERRAIL) Q011057, Trackset ADULT BRAKE 85 [D] - 4 FACTOR

**BINDING:** EL 10.0 QT BLK/ SMOKE, ESP 10.0 TRACK PM



### EXPLORE 70/QT

**SALES CODE:** AG5AJZ15, AG5AKD15 (QT)

**PROFILE:** Early Rise Rocker,  
**TECHNOLOGY:** Express, Full Power Cap, Synflex, Fibreglass

**GEOMETRY:** 115/70/100

**LENGTH/RADIUS:** 144(10.7), 152(12.2), 160(13.7), 168(15.3)

**SYSTEM/PLATE:** QuickTrick Adult SMOKE (POWERRAIL) Q011057

**BINDING:** EL 10.0 QT BLK/ SMOKE, ESP 10.0 TRACK PM



### FREELINE/TRACK

**SALES CODE:** AAG4V7314, AG4V7414 (TRACK)

**PROFILE:** Conventional Profile  
**TECHNOLOGY:** Full Power Cap, Synflex, Fibreglass

**GEOMETRY:** 111/87/100, 115/76/105

**LENGTH/RADIUS:** 99(7.7), 125(8.5), 135(10.3)

**SYSTEM/PLATE:** Trackset ADULT BRAKE 95 [D] - 4 FACTOR

**BINDING:** ESP 10.0 TRACK

# JUNIOR

COLOR  
CODE

COLOR  
CODE



## EXAR PRO QT/TRACK

**SALES CODE:** AG5V8114 (FLAT), AG7ASZ15 (FLAT), AG5V8314 (TRACK), AG7ASX15 (TRACK 4.5 & 7.5), AG5V8214 (QT), AG7ASY15 (QT 4.5), AG7ASYA5 (QT 7.5),

**PROFILE:** Early Rise Rocker

**TECHNOLOGY:** Full power cap, Synflex, Fibreglass

**GEOMETRY:** 95/66/86, 97/66/88\*, 100/66/91\*\*

**LENGTH/RADIUS:** 70 (2.8), 80 (4.0), 90 (5.3), 100\* (6.4), 110\* (8.1), 120\* (9.9), 130\*\* (10.7), 140\*\* (12.7), 150\*\* (14.9)

**SYSTEM/PLATE:** Flat + QuickTrick + Track

**BINDING:** ESP 7.5 TRACK PM, ESP 4.5 TRACK PM, QT 7.5 TRACK PM, QT 4.5 TRACK PM

## EXPLORE PRO QT/TRACK

**SALES CODE:** AG7ALZ15 (QT EL 4.5), AG7ALZA5 (QT EL 7.5), AG7AMA15 (TRACK EL 4.5), AG7AMAA5 (TRACK EL 7.5)

**PROFILE:** Early Rise Rocker

**TECHNOLOGY:** U-Flex technology\*, Full Power Cap, Synflex, Fibreglass

**GEOMETRY:** 101/69/90, 105/67/93, 100/66/91

**LENGTH RADIUS:** 70(2.5)\*, 80(3.5)\*, 90(4.8)\*, 100(6.3)\*, 110(7.0)\*, 120(8.6)\*, 130(10.7), 140(12.7), 150(14.9)

**SYSTEM/PLATE:** QuickTrick + Track

**BINDING:** EL 4.5 AC QT, EL 7.5 AC QT BLK, EL 4.5 AC ESP, EL 7.5 AC ESP BLK

## PINBALL PRO QT

**SALES CODE:** AE7AJQ15 (QT EL 4.5 WB/QT EL 7.5 WB), AE7AB115

**PROFILE:** Early Rise Rocker

**TECHNOLOGY:** U-Flex technology\*, Full Power Cap, Synflex, Fibreglass

**GEOMETRY:** 105/72/97\*, 110/81/105, 112/81.5/107, 114/82/109

**LENGTH RADIUS:** 105(6.9)\*, 115(8.8)\*, 125(9.6), 135(10.9), 145(12.3)

**SYSTEM/PLATE:** QuickTrick

**BINDING:** EL 4.5 AC QT WB BLK/ EL 7.5 QT WB BLK

## TWIST PRO QT

**SALES CODE:** AE7AJU15 (QT EL 4.5 WB/QT EL 7.5 WB), AE7AJT15

**PROFILE:** Early Rise Rocker

**TECHNOLOGY:** U-Flex technology\*, Full Power Cap, Synflex, Fibreglass

**GEOMETRY:** 105/72/97\*, 110/81/105, 112/81.5/107,

**LENGTH/RADIUS:** 105(6.9)\*, 115(8.8)\*, 125(9.6), 135(10.9), 145(12.3)

**SYSTEM/PLATE:** QuickTrick



**BINDING:** EL 4.5 AC QT WB BLK/ EL 7.5 QT WB BLK

# RENTAL COLOR CODING

**U·FIT**  
SYSTEM

## RENTAL COLOR CODING CHART

Boots	Color coding
195 – 199	
200 – 207	
208 – 215	
216 – 223	
224 – 231	
232 – 239	
240 – 247	
248 – 255	
256 – 263	



### EXPLORE

**SALES CODE:** RBJR0114, RBJR0214

**TECHNOLOGY:** U-Flex,  
Volume Control Plate (VCP)

**CONSTRUCTION:** Cabrio construction

**SHELL:** Polipropylene

**LINER:** Thermo Insulation

**SIZE RANGE:** 16.5, 17.5, 18.5, 19.5,  
20.5, 21.5, 22.5

**BUCKLES:** 1 nylon buckle (16.5 – 19.5)  
2 nylon buckles (20.5- 22.5)

**BENEFITS:** Color coding - Easy skiing -  
Warm feet - Easy entry



### EXPLORE XP

**SALES CODE:** RBJX0114, RBJX0214

**TECHNOLOGY:** U-Flex,  
Volume Control Plate (VCP)

**CONSTRUCTION:** Cabrio construction

**SHELL:** Polyurethane

**LINER:** Thermo Insulation

**SIZE RANGE:** 16.5, 17.5, 18.5, 19.5,  
20.5, 21.5, 22.5

**BUCKLES:** 1 nylon buckle (16.5 – 19.5)  
2 nylon buckles (20.5- 22.5)

**BENEFITS:** Color coding - Easy skiing -  
Warm feet - Easy entry

# SNOWBOARD THE RIGHT PRODUCT

**E**\_Easy selection of products for your customers.

**D**\_Einfache Produktauswahl für unsere Kunden.

**F**\_Sélection facile des modèles qui conviennent aux utilisateurs.

**I**\_Facile scelta dei prodotti per i vostri clienti.



**ASPIRING**



**INTERMEDIATE**



**ADVANCED**



★★★



★★★★




★★★★★

## ROCKER

CATCH FREE EDGE TO EDGE MANEUVERABILITY

+ STEERING GUIDING




FOR EASIER SLIDING AND TURN INITIATION.

## CAMBER

MAXIMUM EDGE TO EDGE PERFORMANCE AND STABILITY

+ EDGE GRIP




FOR EASY CARVING AND MAXIMUM RESPONSIVENESS.

## ROCKER

LOOSENED UP FEEL AND FREESTYLE FRIENDLY PERFORMANCE

+ EDGE ENGAGEMENT  
+ EASY TURNING



FOR EASIER TURN INITIATION AND FREESTYLE MANEUVERS.

# THE RIGHT PRODUCT

**E** Better customer return rate with satisfied customers.

**D** Verbesserter Kundenrücklauf mit überzeugten Skifahrern.

**F** Meilleur retour client, et des skieurs satisfaits.

**I** Un alto numero di clienti di ritorno più soddisfatti.



## JUNIOR



### PRODIGY MICRO

- Shortest and softest snowboard in the world



The Elan rental snowboard collection makes snowboarding fun and easy. It features a range of performance that ensures that riders of all ability levels, from beginner to advanced, have the right gear to keep them stoked while out on the slopes. And in the rental shop the color-coding system and easy adjustability of the products make it simple to get each rider exactly what they need, getting them out riding quicker than ever.

**Blaise Rosenthal,**  
Former professional snowboarder

# PROVEN DURABILITY

**E**\_More rent hours per investment.

**D**\_Höhere Rentabilität durch mehr Verleihstunden.

**F**\_Investissement rentabilisé par un surcroît d'heures de location.

**I**\_Più ore di noleggio a parità di investimento.



# BOARDS TECHNOLOGY

**E**

1. One piece slanted sidewalls
2. Structured durable and scratch resistant top sheet
3. Unique barcode identification
4. Thicker 360° steel edges
5. Color coded running base, sidewalls and top sheet
6. Thicker, low maintenance running base
7. Tip and tail protector
8. Wide and SuperWide shape for large feet  
(sizes 160W, 165W, 167SW, 171SW)



**F**

1. Chants inclinés en une seule pièce
2. Durable et résistante structure du topsheet
3. Unique code barres d'identification
4. Carres en acier plus 360° plus épais
5. Semelle, chants et topsheet codifiés par couleur
6. Base plus épaisse et moins d'entretien requise
7. Protection de spatule et talon
8. Forme Wide et SuperWide pour pieds plus larges  
(tailles 160W, 165W, 167SW, 171SW)

**I**

1. Fianchi verticali in pezzo unico
2. Struttura solida e duratura in materiale anti graffio
3. Codice a barre identificativo
4. Solide lame a 360° in acciaio
5. Codice colore su soletta, fianchi e superficie superiore
6. Soletta solida che necessita di poca manutenzione
7. Protezione in punta e coda
8. Forma larga e Super Larga per piedi grandi  
(taglie 160W, 165W, 167SW, 171SW)

# BINDINGS TECHNOLOGY



\* Available with Rental VIP Accelerator

\*\* Available with Rental Basic Accelerator

- E**
1. Toe heel and high back cushion pads
  2. Ankle strap reinforcement frame with bar code pocket\*\*
  3. Dual toe strap\*
  4. Quick tool free adjustability
  5. Strong 2-piece PA buckles
  6. Durable base plate and high back
  7. Color coding

- F**
1. Pads au niveau de l'avant-pied, sous le talon et dans la partie arrière
  2. Plastique de renforcement sur la sangle arrière, avec poche pour code barres\*\*
  3. Double sangle avant\*
  4. Rapide ajustements à la main
  5. Solides Boucles en PA 2 pièces
  6. Durable embase et highback
  7. Couleur codée

- D**
1. Dämpfungsauflagen im Zehen-, Fersen- und Highback-Bereich
  2. Riststrap mit verstärkten zügen und barcode tasche\*\*
  3. Dual toe strap\*
  4. Schnelle werkzeugfreie verstellbarkeit
  5. PA buckles
  6. Haltbare baseplate und highback
  7. Farbkodierung

- I**
1. Toe heel e high back con supporto imbottito
  2. Strap della caviglia rinforzato e con custodia per inserire il codice a barre\*\*
  3. Dual toe strap\*
  4. Regolazione rapida senza attrezzi: come mostra la figura (pedale gaz, straps e inclinazione dell' high back)
  5. Cricchetti resistenti in PA
  6. Resistente piastra base e high back
  7. Codice colorato

# BOOTS TECHNOLOGY



Full sizes/Alle größen/Pointures a nombre entier /Numerazione piena Americana



Barcode pocket and Color coded size label

## RENTAL COLOR CODING CHART

Snowboards	Bindings	Boots			Color coding
		US	EUR	MONDO	
95 - 135	S	2 - 6	32 - 37 1/3	200 - 240	
145 - 150	SM	7 - 9	38 2/3 - 41 1/3	250 - 270	
155 - 160	ML	10 - 11	42 2/3 - 44	280 - 290	
165 - 170	ML	12 - 13	45 1/3 - 46 2/3	300 - 310	

- E**
1. Reinforced construction and durable materials
  2. Rubber lace protector
  3. Antibacterial EVA liner without laces
  4. Barcode sleeve
  5. Color coded size label

- D**
1. Verstärkte Konstruktion und besonders haltbare Materialien
  2. Schnurbandschoner aus Gumm
  3. Antibakterieller Innenschuh ohne schnurung
  4. Barcodehüllen
  5. Farbkodierte Größenlabel

- F**
1. Construction renforcée et matériaux durables
  2. Protecteur du lacet en gomme
  3. Chausson EVA antibactérien sans lacing
  4. Fenêtre a code barres
  5. Etiquette de pointures à couleur codée

- I**
1. Costruzione rinforzata e materiali duraturi nel tempo
  2. Protezione dei lacci in gomma
  3. Scarpa interna in materiale EVA antibatterico
  4. Custodia per il codice a barre
  5. Codice della taglia colorato

# BOARDS COLLECTION



## EXPLORE

TRUE TWIN TIP SHAPE

95 105 115 125 135 145 150 155 160 165

**SALES CODE** EXPLORE: BR799114  
PROTECTOR: CA992012000  
Starting from 125 length on!

HyperCamber delivers versatile performance and a perfect ride for a wide range of riders and terrain!

## EXPLORE ROCKER

TRUE TWIN TIP SHAPE

135 140 145 150 155 160W 165W 167SW 171SW

**SALES CODE** EXPLORE ROCKER: BR799214  
TIP PROTECTOR: CA992012000  
Starting on length 125!

Extra-durability and JibRocker provide advanced riders with a freestyle focused high performance shred machine

## RS ROCKER

TRUE TWIN TIP SHAPE

95 105 115 125 135 145 150 155 160

**SALES CODE** RS ROCKER: BR799014  
TIP PROTECTOR: CA992012000  
Starting on length 125!

HotRocker offers excellent forgiving performance so entry-level riders can learn quickly and have more fun on the slopes!

## PRODIGY MICRO

TRUE TWIN TIP SHAPE

75

**SALES CODE** BB6AZY15XXX SIZE

U-Flex and HotRocker give kids the best possible performance for learning to ride and having fun on the slopes!



Recommended with:  
Rental VIP Accelerator



Recommended with:  
Rental Basic Accelerator



Recommended with:  
Rental Junior Accelerator

**W**  
wide shape

**SW**  
super wide shape

# BINDINGS COLLECTION

## RENTAL VIP ACCELERATOR

SM / ML



**SALES CODE:**  
CA 820 613 2SM - CA 820 613 3ML

### E Durability

- Reinforced polyamide construction
- Reinforcement frame on ankle strap
- Two piece buckle system

### Effectiveness

- Quick Tool-free adjustability
- Adjustable ankle and toe straps
- Bar code only on Rental Basic

### D Haltbarkeit

- Verstärktes Polyamid Bau
- Verstärkter Rahmen am Sprunggelenksstrap
- Zwei – teilige Schnallen

### Effektivität

- Schnelle werkzeugfreie Verstellmöglichkeit
- Verstellbare Sprunggelenks - und Zehenstrap
- Barcode Tasche

## RENTAL BASIC ACCELERATOR

SM / ML



**SALES CODE:**  
CA 920 713 2SM - CA 920 713 3ML

### F Durabilité

- Polyamide renforcé Construction
- Plastique de renforcement sur la sangle arrière
- Système boucle à deux pièces

### Efficacité

- Ajustement rapide à la main
- Sangle avant et arrière ajustable
- Poche pour code barres

### I Durabilità

- Piastra base in Polyamide rinforzata
- Strap della caviglia rinforzato
- Sistema cricetti di due pezzi

### Caratteristiche principali

- Regolazioni senza attrezzi
- Strap della caviglia fissato a vite e regolabile
- Custodia per il codice a barre

## RENTAL JUNIOR ACCELERATOR

S



**SALES CODE:**  
CA 920 813 10S

### E Durability

- Reinforced polyamide construction
- Two piece buckle system

### Effectiveness

- Tool-free adjustability
- Screw fixed and adjustable ankle strap

### D Haltbarkeit

- Verstärktes Polyamide Bau
- Zwei – teilige Schnallen

### Effektivität

- Werkzeugfreie Verstellmöglichkeiten
- Per Schraube befestigter und verstellbarer Riststrap
- Verstellbare Strapzentrierung

### F Durabilité

- Polyamide renforcé Construction
- Système boucle à deux pièces

### Efficacité

- Ajustements à la main
- Sangle arrière ajustable avec clou fixé
- Centrage de la sangle ajustable

### I Durabilità

- Piastra base in polyamide rinforzata
- Sistema cricetti di due pezzi

### Caratteristiche principali

- Regolazioni senza attrezzi
- Strap della caviglia fissato a vite e regolabile
- Strap regolabile al centro

# BOOT COLLECTION

## RENTAL BOOT

SIZES 2-13



**SALES CODE:**  
KR9 156 11 XXX X US Sizing

### E Durability

- Strong materials for heavy usage
- Reinforced stitching

### E Effectiveness

- Barcode pocket
- Color coded

### D Haltbarkeit

- Robuste Materialien für intensive Nutzung
- Verstärkte Nähte

### E Effektivität

- Schutzhülle mit Barcode
- Kodierung nach Farbe

### F Durabilité

- Matériaux robustes pour utilisation intensive
- Coutures renforcées

### E Efficacité


- Poche pour code-barres
- Codage par couleur

### I Durabilità

- Materiali robusti per utilizzi prolungati
- Cuciture rinforzate

### C Caratteristiche principali

- Tasca per codice a barre
- Codice colore





ELAN  
DISCOVERY  
PROGRAM

elanski raziskovalni program

ELAN DISCOVERY PROGRAM NAVIGATOR

## ELAN DISCOVERY

faster learning  
better skiing  
enjoy snow  
more fun

Each lift pass will include all-round skiing skills, innovations, By offering its own unique Elan Discovery Center, intermediates will improve their carving progression™, technology and expertise in terrain due to the exclusive Elan Discovery Centers are where returning skiers continue to hone their skills. From the moment the lifts open to the customer will ski with absolute pleasure.

